Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		"6460012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:32
S1	2	"20040153292"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 08:58
S2	0	702/179.ccls. and indenter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 12:11
S3	1	702/189.ccls. and indenter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 12:24
S7	25	73/78.ccls. and indenter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 12:24
S8	21	73/85.ccls. and indenter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:14
S9	152	indenter and hardness and stress and strain and force	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:21
S10	208	indenter and hardness and stress and strain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 12:29

S11	1826	indenter and hardness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 12:27
S12	4915	hay.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:21
S13	. 6	S12 and jennifer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:28
S14	8	"3830815"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:29
S15	4	"4442494".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:30
S16	2	"4848141".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:38
S17	2	"5789681".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:33
S18	2	"6460012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:33

S19		indenter and hardness and setup and point and engagement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 09:51
S20	9	indenter and hardness and setup and point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 10:53
S22	84	indentation and hardness and setup and profile and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:09
S23	105	indentation and hardness and setup and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:14
S24	1118	indentation and event and deviation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:15
S25	283	indentation and event and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 11:16
S26	59	indentation and hardness and event and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 13:27
S28	220	indentation and hardness and table and calibration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 16:39
S29	1	"4820051".PN.	USPAT; USOCR	OR	OFF	2005/05/31 15:53
S30	2	"2699540".PN.	USPAT; USOCR	OR	OFF	2005/05/31 15:53

S31	51	indentation and hardness and table and calibration and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:04
S32	2	"6247355".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:03
S33	2	"6279388".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:03
S34	290	indentation and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:07
S35	.21	(material near characteristics) and indentation and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:08
S36	52	(material near properties) and indentation and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:10
S37	39	(material adj properties) and indentation and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:11
S38	25	(material adj properties) and indenter and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:11

S39	162	indenter and hardness and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:11
S40	114	73/81.ccls. and indenter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:20
S41	6	73/81.ccls. and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:22
S42	11	73/81.ccls. and (standard near deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/31 17:22
S43	4	indenter and engagement and material and (standard near deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/05/31 17:23
S44	80	(material adj properties) and indentation and hardness and engagement and points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:17
S45	1288	indentation and hardness and engagement and points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:17
S46	10	S45 and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/01 17:17

S47	2	indenter and hardness and (multiple near (standard adj deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:47
S48	2	indenter and (multiple near (standard adj deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:47
S49	2	indenter and (multiple near (standard near deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:48
S50	366	(multiple near (standard near deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:48
S51	308	S50 and function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:48
S52	163	S51 and event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:56
S53	234	S51 and measurement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:07
S54	17	S51 and (indenter or hardness or tensile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:32

S55	1	"6460012".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 14:32
S56	366	(multiple near (standard near deviation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 15:51
S57	17	(multiple near (standard near deviation)) and (indenter or hardness or tensile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 15:51
S58	12	indenter near profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:35
S59	0	indenter near engagement near profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:36
S60	2	indenter near engagement near points	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 14:36
S61	14	indenter near engagement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:46
S62	0	indenter and differentiate and compensate and integration and normalization and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:47

S63	0	indenter and differentiate and compensate and integration and normalization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:47
S64		indenter and differentiate and compensate and integration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/06/03 15:47
S65	4	indenter and compensate and integration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/03 15:48
S66	2	indenter and (multiple adj standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:41
S67		(multiple adj standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:21
S68	4	S67 and hardness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:41
S69	201	(multiple adj standard adj deviation) and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:09
S70	41	(multiple adj standard adj deviation) and compensate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:10

S71	0	(multiple adj standard adj deviation) and nanoindentation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:11
S72	3	(multiple adj standard adj deviation) and (mechanical adj properties)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 17:11
S78	2	"5242440".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 15:05
S79	2	"20040183523"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 15:05
S80	527	indenter and (multiple or multi near deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 12:48
S81	343	S80 and standard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/27 14:04
S84	250	S80 and series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 13:24
S85	2	"6679124".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 14:15

S86	19	indenter and displacement and force and depth and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/06/28 14:26
S87	109	indentation and displacement and force and depth and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 14:52
S88	183	indenter and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 14:54
S89	5	S88 and (engagement and point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 14:53
S90	527	indenter and (multiple or multi near standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:09
S91	62	S90 and engagement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:02
592	6	S90 and engagement and uncertainty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:02
S93	2	indenter and (multiple near standard near deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 15:09

S94		indenter and (multiple with standard with deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:27
S95	3	indenter and (multiple same standard same deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:27
S96	125	indenter and (multiple and standard and deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/28 16:27
S97	4	indentation and (multiple near standard near deviations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 12:19
S98	10	indenter and hardness and stress and strain and multiple and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 13:23
S99	64	indenter and hardness and multiple and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 14:00
S10 0	55	indenter and contact and multiple and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:36
S10 1.	423	indentation and contact and multiple and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:42

S10 2	26	indentation and indenter and contact and multiple and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 15:42
S10 3	2	"6460012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 11:03
S10 4	3	indenter and (multiple with standard with deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/07/13 11:15
S10 5	125	indenter and (multiple and standard and deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:25
S10 6	0	indenter and (multiple with load with events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:31
S10 7	0	indenter and (multiple near load near events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:31
S10 8	82	indenter and (multiple and load and events)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:39
S10 9	110	indentation adj testing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 12:51

S11 0	8	(indentation adj testing) and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:41
S11 1	2	"4848141".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 13:41
S11 2	56	indenter and (multiple and standard and deviation) and derivative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:36
S11 3	2	indenter and (multiple and standard and deviation) and compensation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:36
S11 4	297	indentation and (multiple and standard and deviation) and compensation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 14:36
S11 5	27	"4848141".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 15:27
S11 6	128	indenter and series and (standard adj deviation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07
S11 7	. 639	indenter and series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07

S11 8	250	S117 and multiple	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:07
S11 9	2	"6679124".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/14 11:32